

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S400	0	(ccd same bucket brigade) same output same power near10 consumption same reduce	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:10
S401	0	(ccd same bucket brigade) same output same power near10 consumption	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:10
S402	0	(ccd same bucket brigade) same output same power near10 reduce	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:11
S403	8	(ccd same bucket brigade) same output same power	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:11
S404	0	(ccd same bucket brigade) same power same reduce	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:11
S405	39	(ccd same bucket brigade) and reduce near10 power	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:12
S406	0	(ccd same bucket brigade) and reduce near10 power same accumulation near10 (period or time)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:12
S407	10	(ccd same bucket brigade) and reduce near10 power and accumulation near10 (period or time)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:12
S408	17	"6702483"	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:20
S409	1	power control same ccd same output same conversion	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:28
S410	0	power control same ccd and control same common output same accumulation same (period or time or seconds)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:29

S411	35	common output same accumulation same (period or time or seconds)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:30
S412	9	common output same accumulation same (period or time or seconds) same (predetermined or preset or shorter)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:32
S413	1	common output same accumulation same (period or time or seconds) same (supply power)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:55
S414	3	common output and accumulation same (period or time or seconds) same (supply power)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:55
S415	57	accumulation same (period or time or seconds) same (supply power)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:57
S416	14	accumulation same (period or time or seconds) same (supply power) same output	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:57
S417	13	accumulation same (period or time or seconds) same (supply power) and CCD	US-PGPUB; USPAT	ADJ	ON	2009/02/25 17:59
S418	24755	accumulation near10 time	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:01
S419	1127	accumulation near10 time same CCD	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:01
S420	14	accumulation near10 time same CCD same (predetermined predetermined or preset or preselected)	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:02
S421	0	accumulation near10 time same CCD same (predetermined predetermined or preset or preselected) near10 power	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:03

S422	80	accumulation near10 time same CCD same power	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:03
S423	0	accumulation near10 time same CCD same power level	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:03
S424	6	accumulation near10 time same CCD same power near10 level	US-PGPUB; USPAT	ADJ	ON	2009/02/25 18:03

2/ 28/ 2009 2:30:38 PM

C:\ Documents and Settings\ bmccommas\ My Documents\ EAST\ Workspaces\ asdas.wsp